	-	
Name:		
Maille"		

# FOUNDATIONS AND PRE-CALCULUS MATH 10

## PROVINCIAL EXAM REVIEW BOOKLET



#### Foundations of Mathematics and Pre-Calculus 10 Examination Booklet 2010 – 2011 Sample A

#### DO NOT OPEN ANY EXAMINATION MATERIALS UNTIL INSTRUCTED TO DO SO.

#### **Examination Instructions**

- On your Answer Sheet, fill in the bubble (Form A, B, C, D, E, F, G or H) that corresponds to the letter on this Examination Booklet.
- 2. You may require a protractor and a ruler (metric and imperial).
- 3. You may use math tiles.
- 4. When using your calculator (scientific or approved graphing calculator):
  - use the programmed value of  $\pi$  rather than the approximation of 3.14.
  - · round only in the final step of the solution.
- 5. Diagrams are not necessarily drawn to scale.
- When the examination begins, remove the data pages located in the centre of this booklet.
- 7. Read the Examination Rules on the back of this booklet.

Examination Rules

- The time allotted for this examination is two hours.
  You may, however, take up to 60 minutes of additional time to finish.
- 2. Answers entered in the Examination Booklet will not be marked.
- Cheating on an examination will result in a mark of zero. The Ministry of Education considers cheating to have occurred if students break any of the following rules:
  - Students must not be in possession of or have used any secure examination materials prior to the examination session.
  - · Students must not communicate with other students during the examination.
  - Students must not give or receive assistance of any kind in answering an
    examination question during an examination, including allowing their papers
    to be viewed by others or copying answers from another student's paper.
  - Students must not possess any book, paper or item that might assist in writing an examination, including a dictionary or piece of electronic equipment, that is not specifically authorized for the examination by ministry policy.
  - Students must not copy, plagiarize or present as their own, work done by any other person.
  - Students must immediately follow the invigilator's order to stop writing at the end
    of the examination time and must not alter an Examination Booklet, Response
    Booklet or Answer Sheet after the invigilator has asked students to hand in
    examination papers.
  - Students must not remove any piece of the examination materials from the examination room, including work pages.
- The use of inappropriate language or content may result in a mark of zero being awarded.
- Upon completion of the examination, return all examination materials to the supervising invigilator.

#### This is the end of Part A (calculator not permitted).

If there is some time left, you have two options:

- i) Make sure you have answered all the questions. You will not be able to go back to this section at the end of 40 minutes.
- ii) You may proceed to the rest of the examination without the use of a calculator; there are many questions that do not require a calculator. Make sure you flag any questions you skip to remember to go back to them later.

Do not access your calculator until directed by the supervisor. At the end of the 40 minutes, the supervisor will give you permission to access your calculator.

Page 6

Foundations of Mathematics and Pre-Calculus 10 - 2010-2011 Sample A

## PART C: NUMERICAL-RESPONSE QUESTIONS (calculator permitted)

Value: 6 marks	Suggested Time: 15 minutes
INSTRUCTIONS:	When answering numerical-response questions on your Answer Sheet:
	print digits as illustrated:
	0 1 2 3 4 5 6 7 8 9
	<ul> <li>shade the bubble with the negative symbol if the answer is negative; shade or leave blank the bubble with the positive symbol if the answer is positive.</li> </ul>
	<ul> <li>write your answer in the spaces provided using one digit per box, noting proper place value.</li> </ul>
	lèave unused boxes blank.
	For example, -70.2 will be written as:
	<sup>+</sup> ○ ●
	For example, 4 will be written as:
	• For example, $\frac{2}{3}$ , answered to two decimal places, will be written as:
	0 0.67 or 0.67

## NO CALCULATOR

(1) Jasdeep and Kelsey converted 177 ounces into kilograms, as shown below.

Jasdeep's Solution	Kelsey's Solution
$177 \text{ oz} \times \frac{28.35 \text{ g}}{1 \text{ oz}} \times \frac{1 \text{ kg}}{1000 \text{ g}} = 5 \text{ 017 950 kg}$	$177 \text{ oz} \times \frac{1 \text{ oz}}{28.35 \text{ g}} \times \frac{1 \text{ kg}}{1000 \text{ g}} = 0.0062 \text{ kg}$

Which statement below is true?


- A. Only Kelsey is correct because the units cancel.
- B. Only Jasdeep is correct because the units cancel.
- C. Only Kelsey is incorrect because the conversion factors are incorrect,
- D. They are both incorrect for different reasons.
- A baker gets his muffin boxes from the United States. The tallest muffins he bakes are 11 cm. Estimate the height of the smallest box in which the muffins will fit.
  - A. 30 inches tall

Chapter 1


- B. 10 inches tall
- C. 5 inches tall
- D. 4 inches tall
- (3) Which of the following calculations converts 4 yards into centimetres?
  - A. 4 yd  $\times \frac{2.54 \text{ cm}}{1 \text{ in}}$ .
  - B.  $4 \text{ yd} \times \frac{3 \text{ ft}}{1 \text{ yd}} \times \frac{2.54 \text{ cm}}{1 \text{ ft}}$
  - C.  $4 \text{ yd} \times \frac{3 \text{ ft}}{1 \text{ yd}} \times \frac{12 \text{ in}}{1 \text{ ft}} \times \frac{2.54 \text{ cm}}{1 \text{ in}}$
  - D.  $4 \text{ yd} \times \frac{1 \text{ ft}}{3 \text{ yd}} \times \frac{1 \text{ in}}{12 \text{ ft}} \times \frac{1 \text{ cm}}{2.54 \text{ in}}$
- A road sign says to turn right in 1000 feet. Approximately how far is this distance in kilometres?
  - A. 0.3 km
  - B. 0.6 km
  - C. 1 km
  - D. 1.5 km

#### \_CALCULATOR PERMITTED \_\_Multiple\_Chaice\_\_

Polar Company has designed an ice block in the shape of a cube. The volume of the cube is 15 625 cm<sup>3</sup>. Which of the following dimensions is the smallest opening of an ice dispenser that will accommodate length AB?



- A. 25 cm wide
- B. 40 cm wide
- C. 45 cm wide
- D. over 50 cm wide
- Sarah needs to replace the exhaust pipe on her dirt bike. She uses a Vernier calliper to find the diameter of the pipe.



What is the diameter of the pipe?

- A. 16,1 mm
- B. 19.2 mm
- C. 19.5 mm
- D. 29.0 mm

- As an estimation strategy, what could be used to best approximate one centimetre?
  - A. the length of your foor
  - B. the width of your hand
  - C. the width of your finger
  - D. the width of a pencil lead
- On a quiz, students were asked to convert 5 lbs 4 oz to a metric weight.


personal Callents Solution Called	a is EllingSolution . Page
$4 \text{ oz} \times \frac{1 \text{ lb}}{16 \text{ oz}} = 0.25 \text{ lb}$	$5 \text{ lb} \times \frac{16 \text{ oz}}{1 \text{ lb}} = 80 \text{ oz}$
Sign 2: $5.25 \text{ lb} \times \frac{0.454 \text{ kg}}{1 \text{ lb}} \approx 2.3835 \text{ kg}$	$84 \text{ oz} \times \frac{28.35 \text{ g}}{1 \text{ oz}} \approx 2381.4 \text{ g}$

How should the teacher mark these two solutions?

- A. Only Erin's solution is correct.
- B. Only Stan's solution is correct.
- C. Both Stan and Erin gave a correct solution.
- D. Neither Stan nor Erin gave a correct solution.
- A cylinder has a surface area of 402 cm<sup>2</sup>. The height is three times greater than the radius. What is the height of the cylinder?
  - A. 8.00 cm
  - B. 10.48 cm
  - C. 12.00 cm
  - D. 16.97 cm
- A bowling ball measures 264 cm in circumference. What is the volume of the smallest cube that will hold this ball?
  - A. approximately 75 000 cm<sup>3</sup>
  - B. approximately 311 000 cm<sup>3</sup>
  - C. approximately 594 000 cm3.
  - D. approximately 2 300 000 cm3

(11)

Using the ruler below, determine the length of the pencil.



- A.  $5\frac{1}{8}$
- B. 5.2"
- C.  $5\frac{1}{4}$ "
- D.  $7\frac{1}{8}$

(13)

Jung was told to plant trees two steps apart. Which of the following estimates is closest to "two steps apart"?

- A. 6ft
- B. 3 m
- C. 60 cm
- D. 30 in

(13)


. Which distance below is the longest?


0.6 mi, 1000 yd, 1 km, 900 m


- A. 0.6 mi
- B. 1000 yd
- C. 1 km
- D. 900 m


(4)

A cone-shaped water tank has a volume of 1000 litres. Which diagram best represents the  $250\,L$ ,  $500\,L$  and  $750\,L$  marks outside of the water tank?










(15)

A cylinder with a diameter of 10 cm and a height of 12 cm is half full of water. A sphere with a diameter of 5 cm is dropped into the cylinder. How far will the water level rise once the sphere is completely under the water?


- . A. 0.57 cm
- B. 0:83 cm
- C. 5 cm
- D. 6 cm

The slant height of the pyramid below is 45 cm. Calculate its volume.




- A. 10 062 cm<sup>3</sup>
- B. 12 728 cm<sup>3</sup>
- C. 13 500 cm<sup>3</sup>
- D. 40 500 cm<sup>3</sup>


The volume of the object below is  $186 \text{ cm}^3$ . Calculate the length of x.





- A. 3.1 cm
- B. 2.5 cm
- C. 1.75 cm
- D. 1.25 cm


Which of the following net diagrams best constructs the cone below?













h = 30 cm


base area = 160 cm<sup>2</sup>

## Numerical Response

(19) . Which of the following shapes has a volume three times larger than the pyramid below?







(20). Convert 150 pounds into kilograms. Answer to the nearest kilogram.

Record your answer neatly on the Answer Sheet.

(a) Calculate the surface area of the solid hemisphere below. Answer to the nearest square metre.



Record your answer neatly on the Answer Sheet.

Answer 50 000.00

# CHAPTER I Answer Key

#### No Calc M/C

1, D 2, C 3, C 4, A

#### Calc M/C

5. C C C C C C R 9. 10. A

12. A 13. C 14. A


15, B 16. B 17. B 18. A 19. A

## Numerical Response

20, \$5 0000.00

#### NO CALCULATOR

Determine the ratio of cos A.




- A.  $\cos A = \frac{2}{3}$
- B.  $\cos A = \frac{\sqrt{5}}{3}$
- $C. \quad \cos A = \frac{\sqrt{13}}{3}$
- D.  $\cos A = \frac{3}{\sqrt{5}}$

Chapter 2

#### CALCULATOR PERMITTED


Using a protractor, measure one of the unknown angles and determine the length of side x.



Note: This diagram is drawn to scale.

- A. 3.5 m
- B. 4.8 m
- C. 5,1 m
- D. 13.2 m

A 10 metre tall farmhouse is located 28.0 m away from a tree with an eagle's nest. The angle of elevation from the roof of the farmhouse to the eagle's nest is 30°.




What is the height of the eagle's nest?

- A. 16 m
- B. 24 m
- .C. 26 m
- D. 48 m

(4)

Ann and Byron positioned themselves 35 m apart on one side of a stream. Ann measured the angles, as shown below.



Calculate the height of the cliff on the other side of the stream.


- A. 17.5 m
- B. 62.9 m
- C. 70.1 m
- D. 107.1 m

- 6 . In  $\triangle ABC$ ,  $\angle C = 90^{\circ}$ , AB = 17 cm and AC = 15 cm. Calculate the measure of  $\angle ABC$ .
  - Á. 28°
  - B. 41°
  - C. 49°
  - D. 62°
- (6) The angle of elevation of the sun is 15°. How long is the shadow of a 64 m tall building?
  - A. 17 m
  - B. 66 m
  - C. 239 m
  - D. 247 m
- As Tracey is driving, she sees a sign telling her the road has a 7% grade (i.e., a rise of 7 metres for a horizontal change of 100 m). Which of the following expressions will calculate the angle between the road and the horizontal?



- A.  $tan\left(\frac{7}{100}\right)$
- $8. \quad \sin\left(\frac{7}{100}\right)$
- C.  $tan^{-1}\left(\frac{7}{100}\right)$
- D.  $\sin^{-1}\left(\frac{7}{100}\right)$

Mission's outdoor club collected the following data to determine the height of a cliff.



Calculate the height of the cliff. .

- A. 3.7 m
- D. 0.4 F
- °C. 24.4 m
- D. 26.1 n

#### Numerical Response

A ramp is set up using a rectangular piece of plywood (shaded region) as shown below.




Calculate the area of the plywood. Answer in square metres to one decimal place.

Record your answer neatly on the Answer Sheet.

Answer



Calculate the length of side x on the diagram below. Answer to the nearest centimetre.



Record your answer neatly on the Answer Sheet.

Answer

# CHAPTER 2 Answer Key

#### No Calc M/C

I. B

Calc M/C

2. B

3. C

4. D

5, D

6. C 7. C

8. D

#### Numerical Response

q. ♣5 □□□□□.□□ 10. ♣5 □□□□□.□□□

#### NO CALCULATOR

Which of the following statements are true?

Ī.	The factors of 24 are 2, 3, 4, 6, 8 and 12.
II.	The prime factorization of 24 is $2^3 \times 3^1$ .
III.	The prime factors of 24 are 2 and 3.
IV.	$\sqrt{24}$ is an irrational number.


- A. I and IV only
  B. II and III only
  C. II, III and IV only
- D. I, II, III and IV
- What is the least common multiple of 18 and 24?
  - A. 2×3


Chapter 3


- B.  $2^2 \times 3^3$
- C.  $2^3 \times 3^2$
- D.  $2^4 \times 3^3$
- What is the greatest common factor of 12, 24, 30, 72?
  - A. 360
  - В. 12


#### CALCULATOR PERMITTED

- (4) Which two numbers have the following properties?
  - . Their GCF is 12.
  - Their LCM is 72.
  - A. 2 and 3
  - B. 24 and 36
  - C. 48 and 72
  - D. 72 and 864
- Which of the following diagrams best represents the expansion of (x+3)(x+1) pictorially?










- (6) Expand and simplify:  $(x-4)^3$ 
  - A.  $x^3 12x^2 + 48x 64$
  - B.  $x^3 + 12x^2 + 48x + 64$
  - C.  $x^3 \sim 4x^2 + 16x + 64$
  - D.  $x^3 64$

. Which of the following expressions have a factor of x + 2?

I.	$x^2 - 4$
II.	$2x^2 - x - 10$
m.	5x + 10

- A. I only
- B. III only
- C. I and III only
- D. I, II and III
- 8) Factor: y<sup>2</sup> 81
  - A.  $(y-9)^2$
  - B.  $(y+9)^2$
  - C. (y+9)(y-9)
  - D. (y+3)(y-3)(y+9)
- (3) Katie simplified the expression (x+b)(x+c), where b<0 and c<0, to the form  $x^2+gx+k$ . What must be true about g and k?
  - A. g < 0 and k > 0
  - B. g < 0 and k < 0
  - C g > 0 and k > 0
  - .D. g > 0 and k < 0
- (10) Expand and simplify:  $(4x-3)^2$ 
  - A.  $16x^2 + 9$
  - B.  $16x^2 12x + 9$
  - C.  $16x^2 24x 9$
  - D.  $16x^2 24x + 9$

Given that the area of the rectangle below is  $2x^2 + 9x - 5$ , determine the length of the rectangle.



A. 2x-1B. 2x+1

C. 2x + 9

D.  $2x^2 + 8x - 10$ 


Pam expanded and simplified  $(x-3)(x^2+2x-4)$ , as shown below.

:		
	1.	$x(x^2+2x-4)-3(x^2+2x-4)$
	II.	$x^3 + 2x^2 - 4x - 3x^2 + 6x - 12$
	III.	$x^3 - x^2 + 2x - 12$

In which step is Pam's first error?

- A. Step I B. Step II
- C. Step III
- D. There is no mistake.
- Which of the following expressions is a factor of  $x^2 8x 20$ ?
  - A. x-2
  - B. x-4
  - C. x 5
  - Ď. x-10

- Determine the greatest common factor of  $12x^5y$ ,  $4x^3y^2$  and  $6x^2y^4$ .
  - A. 2xy
  - B.  $2x^2y$
  - C.  $4x^3y^2$
  - D.  $12x^{5}y^{4}$
- Determine an expression to represent the shaded area below.



A. 
$$x^2 + 43$$
  
B.  $x^2 + 13x + 67$ 

C. 
$$x^2 + 29x + 43$$

D. 
$$3x^2 + 13x + 67$$

- When completely factored, how many factors does  $2x^4 24x^2 128$  have?
  - A: 2
  - B. 3 C. 4

  - D. 5

=							j
Wha	t additional t	iles would he	need	to represen	it the tota	l area of I	the two f
Wha		iles would he				l area of I	the two i
		r	and		<b>3</b>	l area of I	the two f
Α.	8 each of	r	and and			l area of I	the two I
A. B.	8 each of 9 each of 10 each o	f —	and and and and			larea of I	the two i
A. B. C.	8 each of 9 each of 10 each o	f	and and and and			l area of I	the two i

(|g|) How many integer values are there for k for which  $4x^2 + kxy - 9y^2$  is factorable?

Record your answer neatly on the Answer Sheet.

Answer 50 000.00

# CHAPTER 3 Answer Key

No Calc M/C

1. C 2. C 3. C

#### Calculator M/C

4. B 5. A 6. A

7. D 8. C 9. A 10. D

II. A B I3. B I5. C

·16. C

17. B

Mumerical Response

### NO CALCULATOR

Which of the following statements are true?

I.	$\sqrt{4} = 2$ since $2 \times 2 = 4$
11,	$\sqrt{8} = 4 \text{ since } 4 + 4 = 8$
III.	$\sqrt[3]{27} = 3$ since $3 \times 3 \times 3 = 27$
IV.	$\sqrt[3]{81} = 9$ since $9 \times 9 = 81$

- A. I and III onlyB. I and IV onlyC. II and III onlyD. II and IV only

Simplify: √72

A.  $2\sqrt{6}$ 

Chapter 4

- B.  $6\sqrt{2}$
- C. 18√2
- D. 36√2

Evaluate: 16 4

Express  $2\sqrt{5}$  as an entire radical.

- $\sqrt{20}$
- √<del>50</del>
- D. √100

Order the numbers from the smallest value to the largest value.

,	I.	-3√2
	II.	√9
	III.	2√3
	IV.	-2√7

- A. I, IV, II, III
  B. I, IV, III, II
  C. IV, I, II, III
  D. IV, I, III, II

Simplify:  $(2x^3)^3 - 3x^4$ 

- A.  $24x^{36}$ B.  $24x^{13}$
- C.  $18x^{36}$
- D.  $6x^{13}$

CALCULATOR PERMITTED

- Simplify:  $(3a^2)^3(4a^3)^0$ 

  - 27a<sup>6</sup>
  - . C. 36a<sup>8</sup>
  - D. 108a9

- Simplify:  $\left(\frac{25x^a}{125x^3}\right)^3$ 

  - C.  $125x^{3a-9}$

  - Which pattern could be used to predict 3<sup>-4</sup>?

		the state of the s			
A. 3 <sup>3</sup>	27		В.	33	9 6 3 0
3 <sup>2</sup> ·	9	•		3 <sup>2</sup> 3 <sup>1</sup> 3 <sup>0</sup>	6
3 <sup>‡</sup>	3			31	3
3.0	1			3 <sup>0</sup>	0
3 <sup>2</sup> 3 <sup>1</sup> 3 <sup>0</sup> 3 <sup>-1</sup>	1/3			3-1	$-\frac{1}{3}$
3-2	· <u>1</u>			3-2	$-\frac{6}{1}$
3-3	1 27	e in the		3-3	$-\frac{1}{\alpha}$


3<sup>2</sup> 30 3-1 3-2 D. 3<sup>l</sup> 30. 3-1 3-2

3-3

Which of the following number lines best represents the placement of X, Y, Z, given:

$$X = 2\sqrt{5}$$

$$Z = \sqrt[4]{2}$$



Chantal made a mistake in her simplification of  $\frac{(3a^5)^{-2}}{a^4}$ .

0 45 A	Steps
I.	$\frac{1}{\left(3a^{5}\right)^{2}\left(a^{4}\right)}$
II.	$\frac{1}{(3)^2(a^5)^2(a^4)}$
III.	$\frac{1}{(9)(a^7)(a^4)}$
IV.	1 9a <sup>28</sup>

Which step contains her first mistake?

- A. Step I
- B. Step II
- C. Step III
- D. Step IV

. A research assistant calculated the brain mass, b, of an 8 kg cat. She used the formula  $b = 0.01m^{\frac{2}{3}}$ , where m is the total mass of the cat.

	Steps
I.	$b = 0.01\sqrt[3]{8^2}$
II.	$b = 0.01\sqrt[3]{16}$
III.	$b \approx 0.01(2.52)$
IV.	<i>b</i> ≈ 0.025

In which step did the research assistant first make a mistake?

- A. Step I'.
- B. Step II
- C. Step III D. Step IV

Which one of the following sets of numbers contains only rational numbers?

- A.  $\left\{-\frac{3}{4}, 7.1, \sqrt{16}\right\}$
- B.  $\left\{\frac{1}{2}, -6, \frac{\sqrt{5}}{2}\right\}$
- C.  $\{-3, 4.\overline{23}, 4.121314...\}$
- D.  $\left\{\sqrt{10}, 3\sqrt{9}, \pi\right\}$
- (4) Simplify:  $\sqrt{x^3} + \sqrt[3]{x^4}$ 

  - A.  $\sqrt[6]{x}$ B.  $\sqrt[8]{x^9}$



. Simplify: √1080

- A. 2<sup>3</sup>√135
- B. 3∛40
- C: 6₹5
- D. 6∛30



. Which expression is equivalent to  $\left(-c^2\right)^{-\frac{1}{2}}$  ?

- A.  $\frac{1}{\sqrt[3]{-c^2}}$
- B.  $\frac{1}{\sqrt[3]{c^2}}$
- C.  $\frac{1}{\sqrt{-c^3}}$
- D.  $\sqrt[3]{c^2}$

Numerical Response



A bacteria culture doubles every hour. If there are 10 000 bacteria now, how many bacteria were there 4 hours ago? Answer to the nearest bacterium.

Record your answer neatly on the Answer Sheet.

Answer

500000.00

·	CHAPTER 4	
	Answer Key	

## No Calc M/C

- 3.456.

#### Calc. M/C


- 7. B
- 8. A 9. A
- 10. A 11. C 12. B 13. A 14. A 15. C 16. A

Numerical Response

17. 60 0025.00

#### NO CALCULATOR

The graph below models a bicycle's distance from a bike shop over time.



Calculate the change in the speed of the bike from segment P to segment Q.

A., decreased by 15 km/h


Chapter 5


- B. decreased by 5 km/h
- C. increased by 15 km/h
- D. increased by 11 km/h
- The cost C, in dollars, of renting a hall for the prom is given by the formula C(n) = 500 + 4n, where n is the number of students attending the prom. Calculate the cost of renting the hall if 70 students attend.
  - A. \$108
  - 8. \$500
  - C. \$780
  - D. \$970


#### CALCULATOR PERMITTED


Jim delivers newspapers. He gets paid 10 dollars for every day of work, plus 5 cents for every paper he delivers. Which of the following graphs best represents Jim's possible income for one day?

D.










- Alex bought 144 bagels for \$80. His profit was \$75 once he had sold 100 bagels. Which equation below represents Alex's profit P, as a function of the number sold, n?
  - A. P = -0.05n + 80
  - B. P = 0.05n 80
  - C. P = 0.75n
  - D. P = 1.55n 80

Determine the domain of the relation graphed below.





- A. (-4, 2] B. [-4, 2)
- C. [-1, 5):
- D. [-1,5]
- . Which of the following coordinates are intercepts of the linear relation 2x 3y + 30 = 0?

I.	(0, 10)	
II.	$\left(0,\frac{2}{3}\right)$	
III.	(-10, 0)	
IV.	(-15, 0)	

- .A. I only
- B. I and IV only
- C. II and III only
- D: II and IV only

Which of the following relations are also functions?






- A. III only B. I and III only
- C. II and IV only
- D. I, III and IV only


The cost to insure jewellery is a fixed amount plus a percentage of the value of the jewellery. It costs \$32 to insure \$1000 worth of jewellery or \$44.50 to insure \$3500 worth of jewellery. What is the fixed amount to insure jewellery?

- A. \$27.00
- B: \$31,25
- C. \$44.65
- D. \$58.82





- What is the cost of biring an electrician for 8 hours?
  - A. \$550
  - B. \$475
  - C. \$400
  - D. \$275
- What does the slope represent in the graph below?




- A. price per ticket
- B. profit from tickets
- C. revenue from tickets
- D. number of tickets sold

(1) Which of the following relations are also functions?

	[(0, 2), (1, 4), (2, 6), (4, 5), (4, 2), (7, 9)]
[.	$\{(0, 2), (1, 4), (3, 6), (4, 5), (4, 3), (7, -8)\}$
11.	y = 2x + 5
III.	The output is 6 more than half the input.
īV.	


- A. Ionly
- B. I and IV only
- C. II and III only
- D. II, III and IV only
- Damien has a list of 37 potential customers for his house-painting business. In order to get a business grant, he must graph his income versus the number of customers. Determine the domain of the graph.
  - A. {0, 1, 2, 3,...}
  - B. {0, 1, 2, 3, ... 37}
  - C. all real numbers
  - D. all real numbers between 0 and 37
- A hot-dog stand owner makes a profit of \$100 when he sells 90 hot dogs a day. He has a loss of \$30 when he sells 25 hot dogs a day. Which linear relation represents his profit?
  - A. y = 0.5x + 55
  - B. y = 1.08x + 3.08
  - C. y = 1.11x
  - D. y = 2x 80

Determine the range of the linear relation graphed below.




- A. y≤-4
- B. y≤2
- C.  $y \ge -4$
- D. y≥2
- (5) . Which ordered pair represents f(3) = -5?
  - A. (-5, 3)
  - B. (-3, 5)
  - C. (3, -5)
  - D. (5, -3)
- (b) Which of the following scenarios is not linear?
  - A. the height of a football thrown over time
  - B. the total weight of a jar of pennies as more pennies are added
  - C: the distance travelled by a car moving at a constant speed over time
  - D. the pay of a truck driver who earns \$2500 a month, plus \$0.50 for every kilometre he drives

Marbles are placed in a jar one at a time. Which graph below best represents the total mass of the jar and marbles as the marbles are added?



Number of marbles

Number of marbles




The graph above shows the relationship between the amount of gasoline remaining in a 50 L tank and the distance driven for a certain car.

What does the x-intercept represent in this situation?

- A. fuel capacity of the gasoline tank
  B. total distance travelled during a long trip
  C. total distance driven until the car is out of gas
  D. number of kilometres driven per litre of gasoline

Given the graph of y = g(t) below, determine the value of t for which g(t) = -3. Answer as an integer.



Numerical Response


Answer

٥٥ المال مَنْ

The cost C, in dollars, to rent a car is determined by the formula C(k) = 0.15k + 22, where k is the number of kilometres driven. Calculate the value of k if C(k) = 166. Answer to the nearest kilometre.

Record your answer neatly on the Answer Sheet.

(9) . What is the range of the graph below?



-	I.	All x values between 2 and 6 inclusive.
İ	II.	(2, 6)
ĺ	III.	[1, 5]
Ī	lV.	1≤y≤5

- A. III only
- B. IV only
- C. I and II only
- D. III and IV only

# CHAPTER 5 Answer Key

# No Cale MC 1. A 2. C

# <u>Calc M/C</u> 3. A

4. D

5. A 6. B 7. B


8. A 9. B 10. A 11. D 12. 8 13. D 14. B 15. C 16. A

17. C 18. C

19. D

Numerical Response 20. 50 □□□□.□□ 21. 50 □□□□.□□

#### NO CALCULATOR



Which of the following equations describes the linear relation graphed above?

I.		$y = \frac{4}{3}x + 4$
	II.	$y - 8 = -\frac{4}{3}(x + 3)$
	m.	4x + 3y - 12 = 0

Chapter 6

- A. II only B. I and II only
- C. I and III only
- D. II and III only
- Determine the equation of a line, in slope-intercept form, that passes through the points (6, 1) and (-10, 9).


A. 
$$y = -\frac{1}{2}x + 4$$


B. 
$$y = -\frac{1}{2}x - 2$$


C. 
$$y = -2x + 8$$

D. 
$$y = -2x + 13$$

CH.6








- The line  $y-2=\frac{1}{2}(x-5)$  passes through which point on the graph?
  - A. A B. B C. C D. D

Use a ruler to determine the slope of the roof shown below.



Note: This diagram is drawn to scale.

- D.  $\frac{4}{3}$
- . Calculate the slope between the points (7, -3) and (4, 3).


  - Ď.

Which of the following relations could be produced by  $\hat{y} = \frac{2}{5}x - 6$ ?

<u></u>			
I.	2x - 5y - 30 = 0		
II.	{(15, 0), (10, -2), (-5, -8), (-10, -10)}		
III.	y 10 5 10 3 10 5 10 4		

- A. I only
  B. If only
  C. I and II only
  D. I, II and III

Determine the slope of the linear relation 3x + 5y + 15 = 0



A line has a slope of  $\frac{2}{3}$  and passes through the point (6, 0). Which of the following points must also be on the line?

- A. (-3, -6)
- B. (3, 8)
- C. (4, -3)
- D. (9,3)


Kelly explained her method for graphing the linear relation  $y = -\frac{2}{3}x + 7$  as follows:

g" (. 55%) 24. 24.	Steps
,1,	Place a dot on the y-axis at positive 7.
II.	Move up two on the y-axis to positive 9.
m,	From the positive 9, move to the left three spots and place a dot there.
IV.	Draw a line through the two dots.

Where did Kelly make the first mistake in her explanation?

- A. Step I B. Step II
- C. Step III
- D. There is no mistake.


A video game programmer needs to simulate a shot on a gaming screen. The shot needs to have a slope of  $\frac{6}{5}$  to a target at (100, 250). If the shooter has a horizontal position of 65, what would be the shooter's position on the screen?




- A. (65, 78)
- B. (65, 125)
- C. (65, 208)
- D. (65, 220.8)
- A line with an undefined slope passes through the points (-2, 1) and (p, q). Which of the following points could be (p, q)?
  - A. (1, 0)
  - B. (0, 1)
  - C. (0, -2)
  - D. (-2, 0)

Which of the following graphs represents a line that passes through (6, 4) and is perpendicular to  $y = -\frac{2}{3}x$ ?


A.




B.



C.



· D



- Two isosceles triangles have the same height. The slopes of the sides of triangle A are double the slopes of the corresponding sides of triangle B. How do the lengths of their bases compare?
  - A. The base of A is quadruple that of B.
  - B. The base of A is double that of B.
  - C. The base of A is half that of B.
  - D. The base of A is one quarter that of B.

(15) Rewrite  $y = \frac{x}{5} - 6$  in general form.

A. 
$$\frac{x}{5} - y - 6 = 0$$

B. 
$$x + 5y - 6 = 0$$

C. 
$$x - 5\dot{y} - 30 = 0$$

D. 
$$5x - 5y - 30 = 0$$

Lines A and B are perpendicular and have the same x-intercept. The equation of line A is x + 2y - 4 = 0. Determine the y-intercept of line B.

- A. -8
- B: -2
- C. 4
- D. 8

Determine the slope-intercept equation of the line that is parallel to  $y = \frac{2}{5}x - 3$  and passes through the point (0, 5).

A. 
$$y = -\frac{5}{2}x - 3$$

B. 
$$y = -\frac{5}{2}x + 5$$

C. 
$$y = \frac{2}{5}x + 3$$

D. 
$$y = \frac{2}{5}x + 5$$

Given the equation Ax + By + C = 0, which of the following conditions must be true for the graph of the line to have a positive slope and a positive y-intercept?

- A. A > 0, B > 0, C > 0
- B. A > 0, B < 0, C > 0
- C. A > 0, B > 0, C < 0
- D. A > 0, B < 0, C < 0

(19) . Which of the following lines have a negative slope?

I.	y+3=0	
II.	2x + y = 6	
HI.	(y+2) = -4(x-5)	

- A. II only
- B. III only
- C. I and III only
- D. II and III only

. Which of the following statements are true for 2x + 3y = 6?

I.	The y-intercept is -2.
II.	The line is parallel to $y = 2x$ .
III.	The slope-intercept form of the line is $y = \frac{2}{3}x + 2$ .
IV.	The range is all real numbers.

- A. IV only
- B. I and II only
- C. I and IV only
- D. III and IV only

Determine the slope-intercept form of the line that passes through the point (-4, 3) and is parallel to the line segment that joins A(-1, -5) and B(-3, 1)

- A. y = -3x 9
- B. y = -3x + 5
- C. y = -3x + 15
- D. y = 3x + 15

_	
ログ	
0	

. In which quadrant do the graphs of x = -7 and y = 2x + 1 intersect?

- A. Quadrant I
- B. Quadrant II
- C. Quadrant III
- D. Quadrant IV

	Neusi	erical	Rosn	ያለንድ
_	/ V.M.YYI	CI LUUI		N113 7

(23)

. The slope of AB is  $-\frac{2}{3}$ . The slope of CD is  $\frac{w}{24}$ . Given AB || CD, determine the value of w. Answer as an integer.

Record your answer neatly on the Answer Sheet.

Answer



A waterslide descends 20 m over a horizontal distance of 50 m. What is the slope of the waterslide? Answer, with a positive value, to the nearest tenth.

Record your answer neatly on the Answer Sheet.

Answer

#### CHAPTER 6 Answer Key

### No Calc. M/C

- 1. D 2. A 3. A
- 4. C

#### Calc. M/C

- 5. B 6. A 7. C 8. C 9. A

- 10. D 11. C 12. D 13. A

- 14. C 15. C 16. A 17. D 18. B

- 19. D 20. A

- 21. A 22. C

- Numerical Response 23. 50 □□□□.□□ 24. 50 □□□□.⊞□

#### NO CALCULATOR

Solve for y in the following system of equations:

$$x - y = -1$$
$$3x + 5y \approx 21$$

- B. C.
- D. 12

Solve the following system of equations:

$$4x + 2y = 8$$
$$-3x + y = -1$$

A. (-3, 10)

Chapter 7

- B. (-1, 6)
- C. (1, 2)
- D. (3, 2)

How many solutions does this system of equations have?

$$y = 3x + .7$$

$$y=3x-4$$

- A. no solution
- B. one solution
- C. an infinite number of solutions
- D. cannot be determined without solving

#### CALCULATOR PERMITTED

Which of the following systems of linear equations has a solution of (-3, 4)?

A.  $\begin{cases} 2x - 3y = 6 \\ y = 3x - 13 \end{cases}$ 

 $B. \quad \begin{cases} 2x - 3y = 6 \\ y = 3x + 13 \end{cases}$ 

 $C. \quad \begin{cases} 2x + 3y = 6 \\ y = 3x - 13 \end{cases}$ 

D.  $\begin{cases} 2x + 3y = 6 \\ y = 3x + 13 \end{cases}$ 

Two planes have a cruising speed of 570 km/h without wind. The first plane flies for 12 hours against a constant headwind. The second plane flies for 10 hours in the opposite direction with the same wind (a tailwind). The second plane flies 370 km less than the first plane.

Determine two equations that could be used to solve for the wind speed, w, and the distance travelled by the first plane, d.

A. (570 - w)(12) = d

 $(570 + w)(10) \approx d - 370$ 

B. (570 - w)(12) = d

(570 + w)(10) = d + 370

C. (570 + w)(12) = d

(570 - w)(10) = d - 370

D. (570 + w)(12) = d

(570 - w)(10) = d + 370

Joey bought 8 books. Some books cost \$12 each the rest cost \$18 each. He spent a total of \$108. Which of the following systems of linear equations could represent the given situation?

 $A. \qquad x+y=8$ 

12x + 18y = 108

B. x + y = 108

12x + 18y = 8

C. x + 12y = 8

 $x+18y \approx 108$ 

D. 12x + y = 8

x + 18y = 108

Kim invested a total of \$1500 between two bonds. One bond earned 8% per annum and the other bond earned 10% per annum. In one year, Kim earned \$132 on her investments. How much did she invest in the bond that earned 10%?

A. \$600

B. \$750

C. \$900

D. \$1000

A /		
INDUMARICA:	Kac	60000
Numerical		

Solve for x:

3x + 4y = -16

Answer

x = 4y

۵۵.۵۵۵۵۵۵

A package of 12 hex bolts and 10 anchor bolts weighs 7 pounds. A second package of 5 hex bolts and 15 anchor bolts weighs 4 pounds. How much does a single hex bolt weigh?

Answer in pounds to one decimal place.

Record your answer neatly on the Answer Sheet.

# CHAPTER 7 Answer Key No Calc M/C B C

- 1. B 2. C 3. A

#### Calc M/C

- 4. D
- 5. A
- 6. A 7. A


## Numerical Response

- 9. 60 000 06. 9

#### UNIT CONVERSION

	Longon (piecia)	Imperial and Metric	Meiric
Length	I mile = 1760 yards	.1 mile ≈ 1.609 km	1 km = 1000 m
	1 mile = 5280 feet	1 yard = 0.9144 m	1 m = 100 cm
	1 yard = 3 feet 1 yard = 36 inches	1 foot ≈ 0.3048 m 1 inch ≈ 2.54 cm	1 cm = 10 mm
	1 foot = 12 inches		
Mass	1 ton = 2000 pounds	1 pound = 0.454 kg	1 t = 1000 kg
(Weight)	1 pound = 16 ounces	1 ounce = 28.35 g	1 kg = 1000 g
Common Abbrevia-	mile = mi		kilometre = km
tions	yard = yd		metre = m
	ton = ton feet = ' or ft		centimetre = cm millimetre = mm
and the second second	inch = " or in		tonne (metric ton) = t
	pound = lb		gram = g
	ounce = oz		

#### FORMULAE



#### GEOMETRIC FORMULAE

l = length	P = perimeter
w = width	C = circumference
b = base	A = area
h = height	SA = surface area
s = slant height	V = volume
r = radius	

Geometric Figure	Perimeter	Area
Rectangle	P = 2l + 2w or $P = 2(l + w)$	A = lw
Triangle	P=a+b+c	$A=\frac{bh}{2}$
Circle	$C = \pi d$ or $C = 2\pi r$	$A = \pi r^2$

NOTE: Use the value of  $\pi$  programmed in your calculator rather than the approximation of 3.14.

Geometric Figure	Surface Arcal 139 1170	Volume
Cylinder	$A_{top} = \pi r^{2}$ $A_{base} = \pi r^{2}$ $A_{side} = 2\pi rh$ $SA = 2\pi r^{2} + 2\pi rh$	$V = (area of base) \times h$
Sphere	$SA = 4\pi r^2$ or $SA = \pi d^2$	$V = \frac{4}{3}\pi r^3$
Cone	$A_{side} = \pi rs$ $A_{base} = \pi r^2$ $SA = \pi r^2 + \pi rs$	$V = \frac{1}{3} \times (\text{area of base}) \times h$
Square-Based Pyramid	$A_{triangle} = \frac{1}{2}bs$ (for each triangle) $A_{base} = b^{2}$ $SA = 2bs + b^{2}$	$V = \frac{1}{3} \times (\text{area of base}) \times h$
Rectangular Prism	SA = wh + wh + lw + lw + lh + lh or $SA = 2(wh + lw + lh)$	$V = (\text{area of base}) \times h$
General Right Prism	SA = the sum of the areas of all the faces	$V = (area of base) \times h$
General Pyramid	SA = the sum of the areas of all the faces	$V = \frac{1}{3} \times (\text{area of base}) \times h$

NOTE: Use the value of  $\pi$  programmed in your calculator rather than the approximation of 3.14.